

URGENT PRODUCT BATCH RECALL

This recall is being carried out to Practice Level

10th November 2021

Dear Customer

Dechra Veterinary Products Ltd is recalling stock of the product in the table below. This recall has been requested by the manufacturer due to out of specification particle size distribution, see attached letter dated 9th November 2021.

NVS Product Code	Product Description	Affected Batch Number	Expiry Date
929311	Revozyn® RTU 400 mg/ml Suspension for Injection for Cattle Vm 16849/4057	20K091	10/2022



Our traceability records indicate that you may have received some of this product.

What to do next - Please examine your stock immediately and take the following steps.

I have the affected product	I do not have this product
<ul style="list-style-type: none">Quarantine the product.If you have any of the affected stock, then please contact our Customer Services Team on 01782 771111 (Option 3) to arrange the return of the products.This affected product will only be accepted until 3rd December 2021, after this date we will not accept this product.	<ul style="list-style-type: none">Please confirm by clicking HERE and filling in the information required.

If you require any further information, please contact our Customer Service Department on 01782 771 111.

Kind regards

Andrew Duxbury
(Responsible Person)

INFORMATION REQUIRED ON THE CLICK HERE BUTTON

ONLY TO BE FILLED OUT IF YOU HAVE NONE OF THE AFFECTED STOCK

We have reviewed our stock of:

Revozyn® RTU 400 mg/ml Suspension for Injection for Cattle



No units were detected in our stock – I am confirming this on behalf of our practice.

Please fill in details below.

NAME		ACCOUNT NUMBER	
COMPANY		ADDRESS	
PHONE NUMBER			
SIGNATURE		DATE	